

# INDEX

- Alexandrium*, 164, 168
  - A. catenella*, 164
  - A. cohorticula*, 164
  - A. fraterculus*, 164
  - A. fundyense*, 164
  - A. minutum*, 164
  - A. tamarense*, 164
- Acanthocephalus*, 63
- Acetes* spp., 17
- Achlya*, 44, 45
- Acid Sulfate Disease Syndrome, 79
- acidosis, 79
- Acineta*, 67
- acute phase proteins, 113
- adaptive stage, 3
- Aeromonas*, 36
  - A. caviae*, 31
  - A. hydrophila*, 12, 29, 31
  - A. sobria*, 31
- Aflatoxicosis (Red Disease), 51
  - in shrimp, 93
- aflatoxin, 51, 93
- agglutination, 138
- agglutinins, 115
- Agmasoma (Thelohania)*, 69
- alarm stage, 3
- Alitropus*, 66
- alkaloid toxins, 159
- amino acid deficiencies, 89
- amnesic shellfish poisoning, 163, 164
- Amyloodinium ocellatum*, 57
- Anabaena circinalis*, 164
- Anabas*, 11, 31
- anoxic conditions, 159
- antibody, 116
  - capture assay, 144
  - diversity, 116
  - production, 117
- antigens, 116, 138
  - capture assay, 144
- antimicrobial compounds, 167
  - proteins, 121
- Aphanizomenon fros-aqua*, 167
- Aphanomyces invadans*, 46-47
- Aphanomyces*, 45, 46
- aquareovirus, 13
- Argulus*, 63
- aromatic hydrocarbons, 123
- Ascomycetes, 49
- Aspergillus flavus*, 51
- asphyxia, 171
- asphyxiation/hypoxia, 78
- Atlantic halibut, 14
- autoagglutinate, 139
- ayu, 28, 33
- bacterial, 25, 131
  - bacili, 26
  - diseases, 25
  - gram-negative, 25
  - gram-positive, 25
  - vaccines, 131
- baculovirus, 16
- Ballariophyceae, 167
- barbs, 11
- barfin flounder, 14
- beach macrofauna, 161
- Benedenia*, 60
- bent/ cramped tails, 78
- benthos, 167
- benzalkonium chloride, 48
- bighead carp, 61
- bioassay, 107, 171
  - intermediate, 107
  - short-term, 107
  - long-term, 107
- biological filtration, 134
- bivalves, 163
- black carp, 13
- Black Gill Disease, 78
- black rot/erosion, 36
- blisters, 36
- Blue Disease, 92
- body cramp, 78, 92
- Botriocephalus*, 62

Branchiomyces, 47  
 Branchiomycosis, 47  
 brevetoxins, 159  
 broodfish, 12  
*Brooklynella*, 57  
 brown/black spot, 36  
*Bucephalus*, 61  
 Bureau of Fisheries and Aquatic Resources, 171  
 caeruloplasmins, 114  
 cage and net pen culture, 167  
*Caligus*, 64  
     *C. epidemicus*, 64  
     *C. patulus*, 64  
 capsomeres, 9  
 carbohydrates, 167  
 cargo ballast, 163  
 carp, 28, 29, 45, 47, 56, 58, 59, 60, 62, 64, 65  
 carrier or paratenic host, 70  
 catfish, 11, 31, 46, 56, 59, 60, 62, 63, 64  
 cell lytic enzymes, 115  
 cell walls, 44  
 cellular immunity, 119  
 centric diatoms, 161  
*Ceratium hirundinella*, 167  
 cercariae, 70  
 cestodes, 62  
*Chaetoceros*, 168  
     *C. convolutus*, 164  
 channel catfish, 28, 29  
     virus probe, 13  
*Chanos chanos*, 30-32  
*Chatonella antiqua*, 164, 167  
 chemotherapy, 103  
 Chinese Baculovirus (CBV), 16  
 Chinese minnow, 13  
 Chlorine, 102  
 Chlorophyceae, 167  
 Chronic Soft-Shell Syndrome, 80, 91  
*Chrysochromulina polylepsis*, 164  
 Ciguatera Fish Poisoning (CFP), 164  
 ciliates, 55  
*Citrobacter fecundii*, 29  
*Clarias*, 11, 31  
 climbing perch, 11, 31, 59  
 clonal selection, 138  
 clotting reaction, 122  
*Clupea harengus*, 168  
 cocci, 26  
 cod, 14, 48  
 Coded Pathogenic Organisms (CPF), 98  
 Columnaris Disease, 28  
 commensalism, 55  
 complement factors, 113  
 complete feeds, 83  
*Contraecum*, 62  
 copper sulfate, 48  
*Coregonus lavaretus*, 167  
 CPE, 12-13  
 crabs, 49, 67  
*Cryptobia*, 58  
*Cryptocaryon irritans*, 55  
*Cryptophyceae*, 167  
*Ctenopharyngodon idellus*, 13  
 cultural eutrophication, 163  
 Cyanobacterial Toxic Poisoning (CTP), 164  
*Cyanobacterium*, 164  
*Cyprinus carpio*, 29  
 cyst density, 170  
 cytopathic effect, 10  
*Cytophaga* sp., 35  
 cytotoxic cells, 115  
 Cytotoxicity, 120  
*Dactylogyrus*, 60  
 decomposers, 161  
 deficiency diseases, 89  
 denaturation, 148, 153  
 Department of Agriculture, 171  
 Department of Health, 171  
 dermal necrosis, 11  
 destratification, 161  
 detection threshold, 151  
 detergent, 50  
 Diarrhetic Shellfish Poisoning (DSP), 164  
*Dinophysis*, 164  
     *D. acuta*, 164  
     *D. acuminata*, 164  
     *D. fortii*, 164  
     *D. norvegica*, 164  
     *D. mitra*, 164  
     *D. rotundata*, 164  
 diatoms, 162  
 dietary enhancement, 129

digeneans, 61  
 dinoflagellate toxins, 159  
 dinoflagellates, 162  
 dip, 105  
 diplococcus, 26  
 direct immersion, 132  
 direct life cycle, 70  
 disease development, 2  
 dissolved oxygen, 170  
 DNA, 132  
     DNA Probe, 10, 17  
 domoic acid, 159  
 dysphagia, 171  
*Echinocephalus*, 62  
 ectoparasites, 55  
 eddy, 160  
 Edwardsiella Septicaemia or Edwardsiellosis, 29  
*Edwardsiella tarda*, 29  
 eel, 47, 63  
 El Niño, 163  
 electron microscopy (EM), 13, 17  
 endoparasites, 55  
 enveloped virus, 9  
 enzyme inhibitors, 114  
 Enzyme-linked Immunosorbent Assay (ELISA), 10, 138, 143  
*Ephelota*, 67  
*Epinephelus*, 14, 15, 30  
*Epistylis*, 67  
 Epizootic Ulcerative Syndrome (EUS), 11, 46  
 ergasilid infestation, 64  
*Ergasilus*, 64  
 European bass, 14  
 eutrophication, 160, 167  
 exhaustion stage, 3  
 exophthalmia, 13  
 facultative parasites, 44  
 facultive saprobes, 44  
 fatty acid deficiency, 89  
 feed storage, 93  
 Filamentous Bacterial Disease, 35  
 filter hybridization, 149  
 filter-feeding bivalves, 159  
 filtrates, 10  
 final host, 70  
 fish cell lines, 10  
 Fish Encephalitis, 14  
 fish louse, 63  
 flagellates, 57  
*Flavobacterium*, 12, 35  
*Flexibacter*, 28, 35  
 flounders, 48  
 Fluorescent Antibody Technique (FAT), 10, 138, 142  
 flow-through, 105, 107  
 formalin, 46, 50  
 fungal diseases, 49  
 fungi, 43, 44  
*Fusarium*, 50, 51  
*Gambierdiscus toxicus*, 164  
 Gas Bubble Disease, 75  
 gene probe assay, 149  
 genetic resistance, 130  
 gill rot, 47  
*Glochidia*, 67  
*Glugea*, 69  
 goby, 31, 46, 62, 65, 66  
 goldfish, 28, 31, 32, 45, 47  
*Gonyaulax polygramma*, 164  
 gourami, 11, 31, 46  
 grass carp, 13, 61  
 Grass Carp Hemorrhagic Disease, 13  
 grazing pressure, 161  
 gregarines, 68  
 grouper, 14, 15, 30, 48, 56, 60-62, 65-66  
 Grouper Iridovirus of Taiwan Disease (TGIV), 15  
*Gymnodinium*, 168  
     *G. breve*, 164, 168  
     *G. catenatum*, 164  
     *G. mikimotoi*, 164  
     *G. splendens*, 161  
*Gyrodactylus*, 60  
*Gyrodinium cohnii*, 167  
*Haliphthoros*, 44, 49, 50  
*Haplorchis*, 61  
*Hemiurus*, 61  
 hemolytic substance, 159  
 hemorrhagic fin bases or gill covers, 13  
*Henneguya*, 59  
 Hepatopancreatic Parvo-like Virus (HPV) Disease, 20  
 herring, 48  
*Heterosigma carterae*, 164  
 heterotrophic decomposition, 167

highly unsaturated fatty acids, 167  
*Hippoglossus hippoglossus*, 14  
 horizontal transmission, 3, 10  
 Haptophyceae, 167  
 hybridize, 148  
 hyperactivity, 168  
 hyperplasia, 58  
 Hypodermal and hematopoietic necrosis baculo-like virus (HHNBV), 16  
*Hypophthalmichthys molitrix*, 13  
 hypoxia, 168  
*Ichthyobodo*, 58  
 Ichthyophoniasis (Ichthyosporidiosis), 48  
*Ichthyophonus* (= *Ichthyosporidium*), 48  
*Ichthyophthirius multifiliis*, 55  
*Ichthyosporidium*, 69  
 ichthyotoxicity, 168  
*Ictalurus punctatus*, 28, 29  
 immersion, 105  
 immune systems, 111  
     fish, 112  
     crustacean, 119  
 immunity, 111  
     humoral, 116  
     innate or non-specific, 112  
     specific, 115  
 immunoelectrophoresis, 141  
 immunologic memory, 118  
 immunostimulation, 132  
 immunosuppression, 123  
 in-situ hybridization, 150  
 inclusion/occlusion bodies, 10  
 incomplete molting, 78  
 Indirect Fluorescent Antibody Technique (IFAT), 10,  
 indirect life cycle, 70  
 infection bioassay, 10, 17  
 Infectious Hypodermal and Hematopoietic Virus (IHHNV) Disease, 19  
 inflammation, 115  
 injection, 132  
 intermediate host, 70  
 interstitial fauna, 161  
 interstitial microfauna, 160  
 iridovirus, 13, 15  
 isopod infestation, 66  
 Japanese flounder, 14  
 Koch's Postulates, 27  
*Kudoa*, 59  
 lactoferrin, 114  
 lag phase, 161  
*Lagenidium*, 44, 49, 50  
 larval mycosis, 49  
*Labeo rohita*, 28  
*Lates* sp., 14, 15, 30, 33  
*Lecithochirium*, 61  
 lectins, 121  
 leech, 66  
*Lernaea*, 65  
 lernaeid infestation, 65  
*Leucothrix* sp., 35  
 long bath, 105  
 low stringency conditions, 148  
 lowered nutrient stress, 163  
 lowered silicate stress, 162  
 Luminous Bacterial Disease, 37  
 Lymphocystis Disease, 15  
 macrofauna, 160  
 macroconidia, 51  
 malachite green, 46, 48  
 marine leeches, 66  
 memory B cells, 118  
 metacercariae, 70  
 metallothionein, 114  
 metals, 123  
 meteorological parameters, 170  
*Microcystis aeruginosa*, 164  
 microsporeans, 69  
 milkfish, 30, 31, 32, 56, 58, 61, 63, 64-66  
 mineral deficiency, 90  
 miracidium, 70  
 mitosporic, 49  
 molecular biology-based techniques, 137  
 Mollusc Infestation, 67  
 monoclonal antibodies, 138  
 Monodon Baculovirus (MBV) Disease, 18  
 monogeneans, 60  
 Motile Aeromonad Septicemia, 31  
*Mugil cephalus*, 29, 31  
 mullet, 29, 31, 56, 58-59, 61, 64-66  
 muscle necrosis, 77  
 mutualism, 55  
*Mycobacterium*, 34

*M. marinum*, 34  
*M. chelonae*, 34  
*M. fortuitum*, 34  
mycotic infections, 45  
*Mylopharyngodon piceus*, 13  
*Myxidium*, 59  
*Myxobolus*, 59  
*Myxosoma*, 59  
myxosporeans, 59  
naked viruses, 9  
necrosis, 11, 36  
nematodes, 62  
Nested PCR, 13, 155  
Neurotoxic Shellfish Poisoning (NSP), 164  
neurotoxins, 163, 168  
neutralization index, 10  
*Noctiluca scintillans*, 164  
nodavirus, 14  
*Nodularia spumigena*, 164  
nodule formation and encapsulation, 121  
non-luminous vibrios, 38  
Northern Blot Hybridization, 149  
*Nosema*, 69  
nucleic acid genome, 9  
nucleic acid hybridization, 149  
nutrient enrichment, 167  
nutritional deficiency signs, 87  
nutritional diseases, 83, 87, 94  
*Oreochromis*, 13, 28, 29, 31-33, 64-66  
    *O. aureus*, 13  
    *O. mossambicus*, 164  
    *O. niloticus*, 13  
obligate parasites, 44  
oncomiracidia, 70  
oomycetes, 45  
*Ophicephalus striatus*, 11, 31, 46  
oral emetic, 171  
*Osteopsis*, 164  
ozone, 102  
*Penaeus*, 17, 20, 35-38, 49, 68, 164  
    *P. anguilliseptica*, 32  
    *P. aztecus*, 17, 19  
    *P. californiensis*, 19  
    *P. chinensis*, 20  
    *P. chlororaphis*, 32  
    *P. duorarum*, 17, 19  
    *P. esculentus*, 18, 20  
    *P. indicus*, 20, 35-37  
    *P. japonicus*, 19, 38  
    *P. kerathurus*, 18  
    *P. merguensis*, 17, 18, 20, 35-37  
    *P. monodon*, 17-20, 35-38, 50, 51  
    *P. penicillatus*, 18, 20  
    *P. plebejus*, 18  
    *P. schmitti*, 19  
    *P. semisulcatus*, 18-20  
    *P. setiferus*, 17, 19  
    *P. stylirostris*, 19  
    *P. vannamei*, 18-20, 38  
*Palaemon styliferus*, 17  
*Pallisentis*, 63  
pandemic epizootics, 17  
Paralytic Shellfish Poisoning (PSP), 159, 164  
Paralytic Syndrome, 14  
parasite vaccines, 131  
parasites, 43  
parasitism, 55  
parenteral treatment, 105  
parrotfish, 14  
parvovirus, 19, 20  
pathogens, 2  
Penaeid Acute Viremia (PAV), 16  
Penaeid Rod-shaped Dovavirus (PRDV), 16  
peptides, 121  
*Peridinium* blooms, 160  
peroral administration, 132  
pesticides, 123  
*Phaeocystis pouchetti*, 167  
phage therapy, 135  
phagocytosis, 116, 120  
phenol oxidase system, 122  
Philippine Atmospheric, Geophysical and Astronomical Services Administration (PAGASA), 170  
phosphate-phosphorus, 170  
phosphorescent, 159  
phosphorous, 160, 167  
photic zone, 160  
phytoflagellates, 161, 162  
phytoplankton, 161  
Piscine Neuropathy, 14  
plaque assay, 10  
plasma cells, 118

*Plecoglossus altivelis*, 28, 33  
*Pleistophora*, 69  
 polyclonal antibodies, 138  
 Polymerase Chain Reaction (PCR), 10, 149  
     PCR probe, 17  
 potent toxins, 159  
 precipitation, 139  
 primary producers, 161  
 primer design, 154  
 probe, 149  
 probiotics, 134  
 proceroid, 70  
*Procerovum*, 61  
 prokaryotic, 26  
*Prorocentrum* spp., 164  
*Prosorhynchus*, 61  
 protozoan infestation, 67  
 protozoans, 55, 67  
 prymnesiophytes, 164  
*Prymnesium parvum*, 164, 168  
     *P. patelliferum*, 164  
*Pseudometadena*, 61  
*Pseudomonas*, 32, 36  
*Pseudo-nitzschia*, 164  
     *P. multiseriata*, 164  
     *P. australis*, 164  
     *P. pseudodelicatissima*, 164  
*Pseudorhabdosynochus*, 60  
*Ptychodiscus brevis*, 167  
*Puntius* spp, 11  
 purplish amberjack, 14  
*Pyrodinium*, 160, 164, 170  
     blooms, 163  
*Pythium*, 46  
 quarantine, 101  
 rabbitfish, 30, 33  
*Raphidascaris*, 62  
 raphidophytes, 164  
 rare minnow, 13  
 receptors, 10, 116  
 red discoloration, 16  
 Red Disease, 79  
 red drum, 45  
 red sea bream, 14  
 red tides, 159, 161  
 replication, 10  
 reporter molecule, 149  
 respiratory failure, 171  
 resting cells, 162  
 resting cysts, 163  
 retinopathy, 14  
 Reverse Transcriptin-Polymerase Chain Reaction (RT-PCR), 10, 13, 155  
 rhabdovirus, 11, 17, 46  
 River's Postulates, 11  
 Rod-shaped Virus of *Penaeus japonicus* (RV-PJ), 16  
 rohu, 28  
 salinity stress, 162  
 sand goby, 11  
 sandwich assay, 145  
 saprobes, 43  
*Saprolegnia*, 32, 44-46  
 Saprolegniosis (Saprolegniasis), 45  
*Sarotherodon galilaeus*, 13  
*Scrippsiella trochoidea*, 164  
*Scylla serrata*, 49  
 sea bass, 14, 15, 30, 33, 56, 60, 61, 64-66  
 sea bream (*Sparus aurata*), 14, 30  
 seafood contamination, 168  
 sensitivity, 138  
*Seriola quinqueradiata*, 167  
 serology, 10, 137  
 serpent fish, 11  
 serum neutralization tests, 13  
 Shell Disease, 36  
 Shell-degrading bacteria, 36  
 shi drum, 14  
 shoaling, 163  
 short bath, 105  
 shrimps, 17-20, 32, 35-38, 49, 67, 164,  
 siamese fighting fish, 11, 34  
 siganid, 56, 61, 62, 64, 66  
*Siganus*, 15, 30, 33, 62  
 silver carp, 13  
*Sirolopidium*, 49, 50  
 Sleepy Grouper Disease (SGD), 15  
 slot blot or dot blot hybridization, 149  
 snakehead, 11, 31, 46, 58, 59, 62, 63, 64  
 snapper, 56, 60, 64  
 sodium chloride, 46, 48  
 soft-shelling, 80  
 soluble (humoral) barriers, 113

Southern blot hybridization, 149  
 SPF, 97, 98  
*Sphaerospora*, 60  
 Spinning Grouper Disease, 14  
 Spinning Tilapia (ST) Syndrome, 13  
 spiny eel, 11  
 spirilla, 26  
*Spirocamallanus*, 62  
 sporozoans, 68  
 spotted scat, 64  
 stages of cytopathology, 19  
 staphylococcus, 26  
 static test, 107  
*Stellantchasmus*, 61  
 straminipilous organisms, 43, 44, 49  
*Streptococcus* sp, 25, 33  
 stress, 3, 123, 128  
 striped croaking gourami, 11  
 striped jack, 14  
 Sunburn Disease, 77  
 supplemental feeds, 83  
 surf zones, 160  
 swamp eels, 11  
 Swimbladder Stress Syndrome (SBSS), 76  
 symbiosis, 55  
 Systemic ectodermal and mesodermal baculo-like virus (SEMBV), 16  
 Systemic treatment, 105  
 T-lymphocytes, 118  
 terrestrial nutrients, 161  
 terrestrial run-off, 160  
*Thelohanellus*, 59  
 thermocline, 163  
*Thiothrix* sp., 35  
 three-spot gourami, 11  
 tiger puff, 14  
 tilapia, 13, 28, 29, 31, 32, 33, 56, 60, 63-66  
 tissue culture, 10  
 titer, 139  
 topical treatment, 104  
 topmount gudgeon, 13  
*Trichogaster*, 11, 31  
 trace metal stress, 162  
 transferrin, 113  
 translocation, 163  
*Transversotrema*, 61  
 treflan, 50  
*Trichodina*, 56  
*Trichodinella*, 56  
*Tripartiella*, 56  
 trout, 48  
*Trypanosoma*, 58  
 turbot, 14  
 underfeeding, 92  
 upwelling, 160  
*Vibrio*, 30, 37-38  
     *V. alginolyticus*, 30, 38  
     *V. anguillarum*, 30, 38  
     *V. damsela*, 38  
     *V. harveyi*, 37  
     *V. fluvialis*, 38  
     *V. parahaemolyticus*, 38  
     *V. penaeicida*, 38  
     *V. splendidus*, 37  
     *V. vulnificus*, 30, 38  
 vaccination, 130  
 vector, 163  
*Verasper moseri*, 14  
 vertical transmission, 3,10  
 vibriosis, 30  
 viral disease, 9  
 viral encephalopathy, 14  
 viral infections in fish, 11  
 Viral Nervous Necrosis (VNN), 14  
 viral vaccines, 131  
 virion structure, 9  
 virus, 9  
 vitamin C deficiency, 90  
 vitamin imbalances, 89  
*Vorticella*, 67  
 wastes, 163  
 Western blot analysis, 10, 17, 138, 146  
 white cuticular spots, 16  
 White Spot Baculovirus (WSBV), 16  
 White Spot Syndrome Virus (WSSV) Disease, 16  
 White Spot Virus (WSV), 16  
 wrestling half-beak, 11  
 Yellow Head Virus (YHV) Disease, 17  
*Zeylanicobdella arugamensis*, 66  
 zooplankton, 161  
*Zoothamnium*, 67

